Corporate Headquarters 6571 Wilson Mills Road Cleveland, Ohio 44143

Phone: 800-458-3330

This report package contains 30 pages.

This package contains reports from the following laboratories:

- National Testing Laboratories, Ltd. (6 pages)
- Pace Analytical Services, Inc.- Minneapolis, MN (6 pages)
- Pace Analytical Services, Inc. Greensburg, PA (9 pages)
- EMSL Analytical, Inc. (1 page)
- Eurofins Eaton Analytical, Inc. (7 pages)

NELAP accredited #E87753



556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 456107 1/26/2024

Customer: Summit Spring Water Inc

Laboratory ID: MI00044

N. Bryan Pullen PO Box 480 Harrison, ME 04040 Source: Summit Spring

Date/Time Received: 12/21/2023 09:35
Collected by: N. B. Pullen

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

#### Leaend:

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA

Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

#### **Report Notes:**

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate.

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
				Inorga	nic Analy	tes - Metals				
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	12/20/2023	13:15	1/11/2024
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	12/20/2023	13:15	1/3/2024
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	12/20/2023	13:15	1/3/2024
1010	Barium	200.7	2	mg/L	0.10	ND	1	12/20/2023	13:15	1/11/2024
1075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	12/20/2023	13:15	1/11/2024
1079	Boron	200.7	- 1	mg/L	0.10	ND	1	12/20/2023	13:15	1/11/2024
1015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	12/20/2023	13:15	1/11/2024
1016	Calcium	200.7		mg/L	2.0	7.3	1	12/20/2023	13:15	1/11/2024
1020	Chromium	200.7	0.100	mg/L	0.007	ND	1	12/20/2023	13:15	1/11/2024
1022	Copper	200.7	1.0	mg/L	0.002	ND	1	12/20/2023	13:15	1/11/2024
1028	Iron	200.7	0.3	mg/L	0.020	0.024	1	12/20/2023	13:15	1/11/2024
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	12/20/2023	13:15	1/3/2024
1031	Magnesium	200.7	1-10-	mg/L	0.10	1.40	1	12/20/2023	13:15	1/11/2024
1032	Manganese	200.7	0.05	mg/L	0.004	ND	1	12/20/2023	13:15	1/11/2024
1035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	12/20/2023	13:15	1/3/2024
1036	Nickel	200.7		mg/L	0.005	ND	1	12/20/2023	13:15	1/11/2024
1042	Potassium	200.7	112	mg/L	1.0	ND	1	12/20/2023	13:15	1/11/2024
1045	Selenium	200.8	0.05	mg/L	0.002	ND	1	12/20/2023	13:15	1/3/2024
1049	Silica	200.7	Ni <del>-</del> ena	mg/L	0.05	21.00	1	12/20/2023	13:15	1/11/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 1 of 5 456107 FDABASE GRX Date Printed: 1/26/2024 2:02:02 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 456107 1/26/2024

					1/20/20	727						
Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
1050	Silver	200.7	0.10	mg/L	0.002	ND	1	12/20/2023	13:15		1/11/2024	
1052	Sodium	200.7	-	mg/L	1	10	1	12/20/2023	13:15		1/11/2024	
1085	Thallium	200.8	0.002	mg/L	0.001	ND	1	12/20/2023	13:15		1/3/2024	
4006	Uranium	200.8	0.030	mg/L	0.001	ND	1	12/20/2023	13:15	7.20	1/3/2024	
1095	Zinc	200.7	5.000	mg/L	0.004	ND	1	12/20/2023	13:15		1/11/2024	
				Ph	ysical F	actors						
1927	Alkalinity (Total as CaCO3)	2320B		mg/L	20	26	1	12/20/2023	13:15		1/3/2024	
1905	Apparent Color	2120B	15	CU	3	ND	1	12/20/2023	13:15		12/21/2023	15:40
1928	Bicarbonate (as CaCO3)	2320B		mg/L	20	26	1	12/20/2023	13:15		1/3/2024	
1929	Carbonate (as CaCO3)	2320B	-	mg/L	20	ND	1	12/20/2023	13:15		1/3/2024	
1910	Corrosivity	2330B		SI	SECTION .	-2.69	R2 1	12/20/2023	13:15		1/11/2024	
2905	Foaming Agents	5540C	0.5	mg/L	0.1	ND	1	12/20/2023	13:15		12/22/2023	11:20
		N	/IBAS, calcul	ated as Li	near Alky	late Sulfonate	(LAS), m	ol wt of 342.4 g	/mole			
1915	Hardness	2340B		mg/L	5.0	24	1	12/20/2023	13:15		1/11/2024	
1021	Hydroxide (as CaCO3)	2320B	-	mg/L	20	ND	1	12/20/2023	13:15		1/3/2024	
1920	Odor Threshold	2150B	3	ton	1	ND	1	12/20/2023	13:15	ALTERNATION OF	12/21/2023	12:40
1925	рН	150.1	6.5-8.5	pH Units		6.4*	1	12/20/2023	13:15		12/21/2023	15:30
1254	pH Temperature	150.1		Deg, C		21	1	12/20/2023	13:15		12/21/2023	15:30
1064	Specific Cond. @ 25 deg. C	2510B	-	umhos/c m	1	98	1	12/20/2023	13:15		1/3/2024	
1930	Total Dissolved Solids	2540C	500	mg/L	5	68	1	12/20/2023	13:15		12/22/2023	
0100	Turbidity	2130B	1	NTU	0.1	ND	1	12/20/2023	13:15		12/21/2023	15:30
				Inorgan	nic Analy	tes - Other						
1004	Bromide	300.1	-	mg/L	0.005	0.014	1	12/20/2023	13:15		1/2/2024	
1017	Chloride	300.0	250	mg/L	1.0	11.0	1	12/20/2023	13:15		12/22/2023	11:35
1025	Fluoride	300.0	4.0	mg/L	0.10	ND	1	12/20/2023	13:15		12/22/2023	11:35
1040	Nitrate as N	300.0	10	mg/L	0.05	0.86	1	12/20/2023	13:15		12/22/2023	11:35
1041	Nitrite as N	300.0	1	mg/L	0.05	ND	1	12/20/2023	13:15		12/22/2023	11:35
1044	Ortho Phosphate	300.0		mg/L	2.0	ND	1	12/20/2023	13:15		12/22/2023	11:35
1055	Sulfate	300.0	250	mg/L	5.0	ND	1	12/20/2023	13:15		12/22/2023	11:35
			Org	anic Ana	alytes - 1	rihalometh	anes		11.			
2943	Bromodichloromethane	524.2 THMs	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023	
2942	Bromoform	524.2 THMs		mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023	
2941	Chloroform	524.2 THMs	-	mg/L	0.0005	ND	1	12/20/2023			12/22/2023	
2944	Dibromochloromethane	524.2 THMs		mg/L	0.0005	ND	1	12/20/2023			12/22/2023	
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023	
						s - Volatiles					40/05/222	
2986	1,1,1,2-Tetrachloroethane	524.2	-	mg/L	0.0005	ND	1	12/20/2023	- The Base of		12/22/2023	9.00
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023	

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 2 of 5 456107 FDABASE GRX Date Printed: 1/26/2024 2:02:03 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

#### SAMPLE CODE: 456107 1/26/2024

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2988	1,1,2,2-Tetrachloroethane	524.2	<b>4 -</b> M - M	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
978	1,1-Dichloroethane	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
410	1,1-Dichloropropene	524.2	- 11	mg/L	0.0005	ND	1	12/20/2023	13:15	MINE THE	12/22/2023
420	1,2,3-Trichlorobenzene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15	-	12/22/2023
414	1,2,3-Trichloropropane	524.2		mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
418	1,2,4-Trimethylbenzene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15	Territor.	12/22/2023
968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	1	12/20/2023	13:15	New York	12/22/2023
983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
424	1,3,5-Trimethylbenzene	524.2		mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
967	1,3-Dichlorobenzene	524.2		mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
412	1,3-Dichloropropane	524.2	- 199	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
416	2,2-Dichloropropane	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
965	2-Chlorotoluene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
966	4-Chlorotoluene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
030	4-Isopropyltoluene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
990	Benzene	524.2	0.005	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
993	Bromobenzene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
430	Bromochloromethane	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
214	Bromomethane	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
216	Chloroethane	524.2		mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
210	Chloromethane	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
228	cis-1,3-Dichloropropene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
408	Dibromomethane	524.2	1=11	mg/L	0.0005	ND	1	12/20/2023	13:15	W. Hills	12/22/2023
212	Dichlorodifluoromethane	524.2	_	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
246	Hexachlorobutadiene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
994	Isopropylbenzene	524.2		mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
251	Methyl Tert Butyl Ether	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
247	Methyl-Ethyl Ketone	524.2	_	mg/L	0.005	ND	R2 1	12/20/2023	13:15		12/22/2023
248	Naphthalene	524.2	4.76	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
422	n-Butylbenzene	524.2		mg/L	0.0005	ND	- 1	12/20/2023	13:15		12/22/2023
997	o-Xylene	524.2		mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 3 of 5 456107 FDABASE GRX Date Printed: 1/26/2024 2:02:04 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 456107 1/26/2024

					1/26/20	24					
Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2963	p and m-Xylenes	524.2	 Oue to the lim	mg/L	0.0010 EPA Metho	ND od 524.2, p and	1 d m isome	12/20/2023		rted as aggreg	12/22/2023 ate.
2998	Propylbenzene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	_	THE THE	12/22/2023
2428	sec-Butylbenzene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2426	tert-Butylbenzene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2991	Toluene	524.2	1	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2224	trans-1,3-Dichloropropene	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2218	Trichlorofluoromethane	524.2	-	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2904	Trichlorotrifluoroethane	524.2		mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
2955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND	1	12/20/2023	13:15		12/22/2023
				Organ	ic Analyte	s - Others					Care many and the second
2931	1,2-Dibromo-3-chloropropane	504.1	0.0002	mg/L	0.00001	ND	1	12/20/2023	13:15	12/27/2023	12/27/2023
2946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND	1	12/20/2023	13:15	12/27/2023	12/27/2023
2105	2,4-D	515.4	70	ug/L	0.1	ND	1	12/20/2023	13:15	12/28/2023	1/4/2024
2066	3-Hydroxycarbofuran	531.2		ug/L	1.0	ND	1	12/20/2023	13:15		1/4/2024
2051	Alachlor	525.2	2	ug/L	0.2	ND	1	12/20/2023	13:15	12/28/2023	1/15/2024
2047	Aldicarb	531.2	7	ug/L	1.0	ND	1	12/20/2023	13:15		1/4/2024
2044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND	1	12/20/2023	13:15		1/4/2024
2043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND	1	12/20/2023	13:15		1/4/2024
2356	Aldrin	505		mg/L	0.00007	ND	1	12/20/2023	13:15	12/27/2023	12/27/2023
2050	Atrazine	525.2	3	ug/L	0.1	ND	1	12/20/2023	13:15	12/28/2023	1/15/2024
2625	Bentazon	515.4		ug/L	1	ND	1	12/20/2023	13:15	12/28/2023	1/4/2024
2306	Benzo(A)pyrene	525.2	0.2	ug/L	0.02	ND	1	12/20/2023	13:15	12/28/2023	1/15/2024
2076	Butachlor	525.2	-	ug/L	0.2	ND	1	12/20/2023	13:15	12/28/2023	1/15/2024
2021	Carbaryl	531.2		ug/L	1.0	ND	1	12/20/2023	13:15		1/4/2024
2046	Carbofuran	531.2	40	ug/L	1.0	ND	1	12/20/2023			1/4/2024
2959	Chlordane	505	0.002	mg/L	0.0001	ND	1	12/20/2023	13:15	12/27/2023	12/27/2023
2031	Dalapon	515.4	200	ug/L	1	ND	1	12/20/2023	13:15	12/28/2023	1/4/2024
2035	Di(2-ethylhexyl) adipate	525.2	400	ug/L	0.2	ND	1	12/20/2023	13:15	12/28/2023	1/15/2024
2039	Di(2-ethylhexyl) phthalate	525.2	6	ug/L	0.6	ND	1	12/20/2023		12/28/2023	1/15/2024
2440	Dicamba	515.4	A #43/156	ug/L	1	ND	1	12/20/2023	13:15	12/28/2023	1/4/2024
2933	Dichloran	505	-	mg/L	0.001	ND	1	12/20/2023		12/27/2023	12/27/2023
2070	Dieldrin	505	12-5	mg/L	0.00002	ND	1	12/20/2023	13:15	12/27/2023	12/27/2023
2041	Dinoseb	515.4	7	ug/L	0.2	ND	1	12/20/2023		12/28/2023	1/4/2024
2032	Diquat	549.2	20	ug/L	0.4	ND	1	12/20/2023		12/27/2023	
2033	Endothall	548.1	100	ug/L	9	ND	1	12/20/2023		12/27/2023	And the second of the second o

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 4 of 5 456107 FDABASE GRX Date Printed: 1/26/2024 2:02:05 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 456107 1/26/2024

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	D	F	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2005	Endrin	505	0.002	mg/L	0.00001	ND		1	12/20/2023	13:15	12/27/2023	12/27/2023
2034	Glyphosate	547	700	ug/L	6	ND		1	12/20/2023	13:15		12/28/2023
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND	11	1	12/20/2023	13:15	12/27/2023	12/27/2023
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND		1	12/20/2023	13:15	12/27/2023	12/27/2023
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND	THE.	1	12/20/2023	13:15	12/27/2023	12/27/2023
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND		1	12/20/2023	13:15	12/27/2023	12/27/2023
2010	Lindane	505	0.0002	mg/L	0.00002	ND		1	12/20/2023	13:15	12/27/2023	12/27/2023
2022	Methomyl	531.2	- 4	ug/L	1.0	ND		1	12/20/2023	13:15		1/4/2024
2015	Methoxychlor	505	0.04	mg/L	0.0001	ND		1	12/20/2023	13:15	12/27/2023	12/27/2023
2045	Metolachlor	525.2	-	ug/L	0.2	ND	1011	1	12/20/2023	13:15	12/28/2023	1/15/2024
2595	Metribuzin	525.2		ug/L	0.2	ND		1	12/20/2023	13:15	12/28/2023	1/15/2024
2626	Molinate	525.2	-	ug/L	0.2	ND		1	12/20/2023	13:15	12/28/2023	1/15/2024
2036	Oxamyl	531.2	200	ug/L	1.0	ND		1	12/20/2023	13:15		1/4/2024
2934	Pentachloronitrobenzene	505	C- 1/4	mg/L	0.0001	ND		1	12/20/2023	13:15	12/27/2023	12/27/2023
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND	THE R	1	12/20/2023	13:15	12/28/2023	1/4/2024
2040	Picloram	515.4	500	ug/L	0.1	ND	11.50	1	12/20/2023	13:15	12/28/2023	1/4/2024
2077	Propachlor	525.2		ug/L	0.2	ND		1	12/20/2023	13:15	12/28/2023	1/15/2024
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND		1	12/20/2023	13:15	12/28/2023	1/4/2024
2037	Simazine	525.2	4	ug/L	0.07	ND		1	12/20/2023	13:15	12/28/2023	1/15/2024
2627	Thiobencarb	525.2		ug/L	0.2	ND		1	12/20/2023	13:15	12/28/2023	1/15/2024
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND		1	12/20/2023	13:15	12/27/2023	12/27/2023
2910	Total Phenols	420.4	-	mg/L	0.001	ND	R2	1	12/20/2023	13:15		12/29/2023
2020	Toxaphene	505	0.003	mg/L	0.001	ND		1	12/20/2023	13:15	12/27/2023	12/27/2023
2055	Trifluralin	505	-	mg/L	0.001	ND	7 7	1	12/20/2023	13:15	12/27/2023	12/27/2023

Qualifiers:

R2: The laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.

Jarah Bucharan

Sarah Buchanan, Project Manager

Tests
200.7,2330B,2340B
200.8
2320B,2120B,5540C,2150B,150.1,2510B,2130B
2540C
300.1,300.0
524.2 THMs,524.2,531.2,549.2,547
504.1,515.4,505
525.2,548.1
420.4

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 5 of 5 456107

07

FDABASE GRX

Date Printed: 1/26/2024 2:02:06 PM

Laboratory ID: MI00044

#### **National Testing Laboratories, Ltd**

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### ANALYTICAL REPORTS

SAMPLE CODE: 456106 1/26/2024

Summit Spring Water Inc **Customer:** 

N. Bryan Pullen PO Box 480 Harrison, ME 04040 Source: Summit Spring

Date/Time Received: 12/21/2023 09:35 Collected by: N. B. Pullen

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

This contaminant was not detected at or above our lower reporting limit (LRL) "ND"

"NA" Not Analyzed

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA "Standard"

Secondary Standards.

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant. "LRL"

This column indicates the contaminant dilution factor. "DF"

**Report Notes:** 

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
				Mi	crobio	logicals						
3114	E. Coli	9223B	1	MPN/100 mL	1	ND	1	12/20/2023	13:25		12/21/2023	12:30
3001	Standard Plate Count	9215B	500 Pour Plate N	CFU/ml lethod, 35°	1 C/48hr,	<1 Plate Count Agar	1	12/20/2023	13:25		12/21/2023	12:20
3000	Total Coliform	9223B	1	MPN/100 mL		ND	1	12/20/2023	13:25		12/21/2023	12:30

Analyst	Tests	
GK	9223B	
CF	9215B	

Christine MacMillan, Technical Director

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.



Pace Analytical Services, LLC. 1700 Elm Street Minneapolis, MN 55414

Phone: 612.607.1700 Fax: 612.607.6444

#### **Report Prepared for:**

National Laboratories National Testing Laboratories 6571 Wilson Mills Road Cleveland OH 44143

> REPORT OF LABORATORY ANALYSIS FOR 2,3,7,8-TCDD

#### **Report Summary:**

Enclosed are analytical results of one drinking water sample analyzed for 2,3,7,8-TCDD content. This sample was analyzed according to Method 1613B by High Resolution Gas Chromatography/High Resolution Mass Spectrometry.

The results reported for this sample and the associated quality control samples were all within the criteria described in Method 1613B. If you have any questions or concerns regarding these results, please contact Joanne Richardson, your Pace Project Manager.

**Pace Project Number:** 

10680143

**Report Prepared Date:** 

January 5, 2024

#### **Product Source**

Sample ID: 456107

Source Name: Summit Spring Source Location: Harrison ME

PWS ID: N/A

Laboratory Sample ID: 10680143001 Date Sampled: 12/20/2023 @ 13:15 Date Received: 12/29/2023 @ 08:50

This report has been reviewed by:

January 05, 2024

Joanne Richardson, (612) 607-6453

(612) 607-6444 (fax)



### **Report of Laboratory Analysis**

This reports hould not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.



Tel: 612-607-1700 Fax: 612-607-6444

### **Minnesota Laboratory Certifications**

Authority	Certificate #	Authority	Certificate #
		Missouri	10100
A2LA	2926.01	Montana	CERT0092
Alabama	40770	Nebraska	NE-OS-18-06
Alaska-DW	MN00064	Nevada	MN00064
Alaska-UST	17-009	New Hampshire	2081
Arizona	AZ0014	New Jersey	MN002
Arkansas - WW	88-0680	New York	11647
Arkansas-DW	MN00064	North Carolina-	27700
California	2929	North Carolina-	530
Colorado	MN00064	North Dakota	R-036
Connecticut	PH-0256	Ohio-DW	41244
Florida	E87605	Ohio-VAP (170	CL101
Georgia	959	Ohio-VAP (180	CL110
Hawaii	MN00064	Oklahoma	9507
Idaho	MN00064	Oregon-Primary	MN300001
Illinois	200011	Oregon-Second	MN200001
Indiana	C-MN-01	Pennsylvania	68-00563
Iowa	368	Puerto Rico	MN00064
Kansas	E-10167	South Carolina	74003
Kentucky-DW	90062	Tennessee	TN02818
Kentucky-WW	90062	Texas	T104704192
Louisiana-DEQ	AI-84596	Utah	MN00064
Louisiana-DW	MN00064	Vermont	VT-027053137
Maine	MN00064	Virginia	460163
Maryland	322	Washington	C486
Michigan	9909	West Virginia-D	382
Minnesota	027-053-137	West Virginia-D	9952C
Minnesota-Ag	via MN 027-053	Wisconsin	999407970
Minnesota-Petr	1240	Wyoming-UST	via A2LA 2926.
Mississippi	MN00064		

#### **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.



Pace Analytical Services, LLC 1700 Elm Street, Suite 200 Minneapolis, MN 55414 Phone: 612.607.1700 Fax: 612.607.6444 www.pacelabs.com

### **Reporting Flags**

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- H2 = Extracted outside of holding time
- I = Isotope ratio out of specification
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs

#### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

# **M National Testing** Laboratories, Ltd. Quality Water Analysis

1-800-458-3330

## Beverage - Source Water

Order Number:

2231977

Order Date:

12/11/2023

456107

Sample Number:

Product:

FDABASE GRX

Paid: No

Method:

P.O.:

TSR: SBW

	For Laboratory Use ONLY
	Lab Accounting Information:
Harrison ME 04040	Payment \$:
Harrison ME 04040	Check #:
	Lab Comments/Special instructions:
Date Sampled : 12 120 123	Spring Source Annual
Time Sampled: 13:15 Please Use Military Time, e.g. 3:00pm = 15:00	
Check Time Zone: EST CST MST PST	Diogi
Source Water Information:	State Forms: 50C
PWS ID# (if applicable):	Lab Sample Informatique (LEIVED DEL 21 2073
Source Name: SVMM/7 SPRING	Date Received:
City & State:	Received By:
Sample Collected By:  (if Different than Above)  (Signature)  (Signature)	Sample receipt criteria checked & acceptable.  Deviations from acceptable sample receipt criteria noted on PSA form.
(Please Print)	
ample Temperature: Field pH:	
leasured at Source By:	
orm Completed By: NBPVUEN	
dditional Comments:	
Rev: SRT102120 INCOMPLETE INFORMATION MAY DELA	Y ANALYSIS AND/OR INVALIDATE RESULTS

DC#\_Title: ENV-FRM-MIN4-0150 v13\_Sample Condition Upon Receipt (SCUR) Effective Date: 4/14/2023 nple Condition Cllent Name: Project #: PM UMR FedEx UPS USPS Client Courier: GENERAL NINE Pace SpeeDee Commercial Tracking Number: 12AIV931017431631 See Exceptions ENV-FRM-MIN4-0142 Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes Packing Material: Bubble Wrap Bubble Bags None Temp Blank? V Yes Thermometer: T1 (0461) T2 (0436) T3 (0459) T4 (0402) T5 (0178)
T6 (0235) T7 (0042) T8 (0775) T9(0727) 01339252/1710 Type of ice: Wet Blue Melted Did Samples Originate in West Virginia? W No Yes Were All Container Temps Taken? Yes V N/A Temp should be above freezing to 6 °C Cooler temp Read w/Temp Blank: 2.3 Average Corrected Temp (no temp blank only): Correction Factor: \*0.2 Cooler Temp Corrected w/temp blank: 2 See Exceptions ENV-FRM-MIN4-01-42 1 Container USDA Regulated Soil: ( N/A wate) sample/other. Date/Initials of Person Examining Contents: EC12-23-23 Did samples originate in a quarantine zone within the United States: AL, AR, AZ CA, FL, Did samples originate from a foreign source (internationally, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check maps)? Yes No including Hawali and Puerto Rico)? Yes No If Yes to either question, fill out a Regulated Soll Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork. Location (Check one): Duluth Minneapolis / Virginia COMMENTS Chain of Custody Present and Filled Out? Wiles No Chain of Custody Relinquished? Yes No Sampler Name and/or Signature on COC? Hes W No N/A 3 Samples Arrived within Hold Time? Yes No 4. if fecal: | <8 hrs | >8 hr, <24 | Short Hold Time Analysis (<72 hr)? Yes VINO Fecal Coliform HPC Total Coliform/E.coli BOD/cBOD Hex Chrom Turbidity Nitrate Nitrite Orthophos Other Rush Turn Around Time Requested? MNO Yes Sufficient Sample Volume? No **V** Yes Correct Containers Used? Yes No N/A -Pace Containers Used? Vyes No Containers Intact? Yes No Field Filtered Volume Received for Dissolved Tests? No N/A 10. Is sediment visible in the dissolved container? Yes No Is sufficient information available to reconcile the samples to the No 11. If no, write ID/Date/Time of container below: See Exceptions Matrix: Water Soil Oil ENV-FRM-MIN4-0142 All containers needing a cid/base preservation have been No 12. Sample # checked? All containers needing preservation are found to be in No NaOH LONH compliance with EPA recommendation? H2SO4 Zinc Acetate (HNO3, H2SO4, <2pH, NaOH >9 Suifide, NaOH>10 Cyanide) Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 N/A Positive for Residual See Exceptions (water) and Dioxin /PFAS Chlorine? ENV-FRM-MIN4-0142 (\*If adding preservative to a container, it must be added to pH Paper Lot# associated field and equipment blanks-verify with PM first.) Residual Chlorine 0-6 Roll 0-6 Strip O-14 Strip Headspace in Methyl Mercury Container? Yes No N/A Extra labels present on soil VOA or WIDRO containers? Yes No 14. N/A See Exceptions Headspace in VOA Vials (greater than 6mm)? Yes No N/A ENV-FRM-MIN4-0142 3 Trip Blanks Present? Yes No N/A 15 Trip Blank Custody Seals Present? Yes No N/A Pace Trip Blank Lot # (if purchased): CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes Person Contacted: Date/Time: Comments/Resolution: Project Manager Review: Date: 12/29/23 NOTE: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out temp, incorrect containers). Labeled By:

Qualtrax ID: 52742 Report No.....10680143\_1613DW\_L2\_dfr

Pace® Analytical Services, LLC



#### **Drinking Water Analysis Results** 2,3,7,8-TCDD -- USEPA Method 1613B

Teli12-607-1700 Fax612-607-6444

Sample ID456107	Date Collected12/20/2023	Spike200 pg
Client National Testing Laborato	Date Received12/29/2023	IS Spike2000 pg
Lab Sample ID 10680143001	Date Extracted01/02/2024	CS Spike200 pg

	<b>Sample 456107</b>	Method Blank	Lab Spike	Lab Spike Dup
[2,3,7,8-TCDD]	ND	ND		
LOQ	5.0 pg/L	5.0 pg/L		
2,3,7,8-TCDD Recovery			125%	126%
pg Recovered			251pg/L	251pg/L
Spike Recovery Limit			73-146%	73-146%
RPD			0.	1%
IS Recovery	82%	73%	82%	82%
pg Recovered	1637 pg/L	1461 pg/L	1634 pg/L	1649 pg/L
IS Recovery Limits	31-137%	31-137%	25-141%	25-141%
CS Recovery	83%	74%	96%	92%
pg Recovered	165 pg/L	148 pg/L	192 pg/L	183 pg/L
CS Recovery Limits	42-164%	42-164%	37-158%	37-158%
Filename	E240104B 18	E240104B 05	E240104B 03	E240104B 04
Analysis Date	01/05/2024	01/04/2024	01/04/2024	01/04/2024
Analysis Time	00:09	17:10	16:06	16:38
Analyst	JF	JF	JF	JF
Volume	0.949L	0.979L	0.994L	0.994L
Dilution	NA	NA	NA	NA
ICAL Date	11/17/2023	11/17/2023	11/17/2023	11/17/2023
CCAL Filename	E240104B_02	E240104B_02	E240104B_02	E240104B_02

= Outside the Control Limits

ND = Not Detected = Limit of Quantitation

LOQ = Control Limits from Method 1613 (10/94 Revision), Tables 6A and 7A Limits

**RPD** 

= Relative Percent Difference of Lab Spike Recoveries = Internal Standard [2,3,7,8-TCDD-<sup>13</sup>C<sub>12</sub>] = Cleanup Standard [2,3,7,8-TCDD-<sup>37</sup>Cl<sub>4</sub>] IS CS

Project No......10680143

Analyst: Josep Floring



#### **ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project:

2231977

Pace Project No.:

30650284

Sample: 456107

Lab ID: 30650284001

Collected: 12/20/23 13:15 Received: 12/29/23 09:30 Matrix: Drinking Water

Site ID:

Sample Type:

Comments:

PWS:

• We received a radon sample today that was out of hold. Our system will flag this sample as "out of hold" However, there is no hold time for radon in water and it is not a regulated parameter. There is only one reference for a hold-time for radon in water and it has a "recommended" hold-time of 4 days. The recommended hold time does not have anything to do with chemical issues for longterm storage but rather it was included to emphasize the need to analyze as soon as possible following collection because of the short half-life (near 4 days) to achieve a target MDC. We still achieve the target MDC by counting long enough. The radon hold-time is not the classical chemistry hold-time issue.

- SOURCE WATER, Summit Spring, Harrison, ME
- No brand type/product code listed, no container size listed, no production code/lot number listed.
- · No date/time/opened by listed.
- Sample collection dates and times were not present on the sample containers.
- Upon receipt at the laboratory, 5.0 mls of nitric acid were added to the sample to meet the sample preservation requirement of pH <2 for applicable radiochemistry analysis for samples requiring preservation. The samples were preserved <2 within the required 5</p> days of collection for drinking water analysis and within the required 15 minutes of collection for non-drinking water analysis. 40CFR136 notation is applicable to West Virigina state samples only.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
	Pace Analytical S	ervices - Greensburg				
Radon	SM 7500RnB-1996	574 ± 49.1 (49.7) C:NA T:NA	pCi/L	12/29/23 19:10	10043-92-2	
	Pace Analytical S	ervices - Greensburg				
Gross Alpha	EPA 900.0	-0.059 ± 0.809 (2.24) C:NA T:NA	pCi/L	01/10/24 08:18	12587-46-1	
Gross Beta	EPA 900.0	0.516 ± 0.676 (1.49) C:NA T:NA	pCi/L	01/10/24 08:18	12587-47-2	
	Pace Analytical S	ervices - Greensburg				
Radium-226	EPA 903.1	-0.183 ± 0.359 (0.862) C:NA T:92%	pCi/L	01/09/24 15:16	13982-63-3	
	Pace Analytical S	ervices - Greensburg				
Radium-228	EPA 904.0	0.491 ± 0.346 (0.689) C:70% T:89%	pCi/L	01/05/24 12:02	15262-20-1	
	Pace Analytical S	ervices - Greensburg				
Total Radium	Total Radium Calculation	0.491 ± 0.705 (1.55)	pCi/L	01/10/24 15:52	7440-14-4	





Project:

2231977

Pace Project No.:

QC Batch Method:

30650284

QC Batch:

639493

Analysis Method:

EPA 900.0

EPA 900.0

Analysis Description:

900.0 Gross Alpha/Beta

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30650284001

METHOD BLANK: 3117862

Matrix: Water

Associated Lab Samples: 30650284001

Analyzed Qualifiers Act ± Unc (MDC) Carr Trac Units Parameter pCi/L 01/10/24 08:16 0.650 ± 0.701 (1.36) C:NA T:NA Gross Alpha 01/10/24 08:16 -0.281 ± 0.647 (1.68) C:NA T:NA pCi/L **Gross Beta** 





Project:

2231977

Pace Project No.:

QC Batch Method:

30650284

QC Batch:

639476

Analysis Method:

EPA 904.0

EPA 904.0

Analysis Description:

904.0 Radium 228, DW

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

METHOD BLANK: 3117810

30650284001

Matrix: Drinking Water

Associated Lab Samples:

30650284001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radium-228

0.0655 ± 0.319 (0.730) C:77% T:85%

pCi/L

01/05/24 12:00





Project:

2231977

Pace Project No.:

QC Batch Method:

30650284

QC Batch:

639474

Analysis Method:

EPA 903.1

EPA 903.1

Analysis Description:

903.1 Radium-226, DW

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30650284001

Matrix: Drinking Water

METHOD BLANK: 3117801 Associated Lab Samples:

Parameter

30650284001

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radium-226

0.0982 ± 0.193 (0.362) C:NA T:88%

pCi/L

01/09/24 15:02





Project:

2231977

Pace Project No.:

QC Batch Method:

30650284

QC Batch:

639287

SM 7500RnB-1996

Analysis Method:

SM 7500RnB-1996

Analysis Description:

7500Rn B Radon

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30650284001

Associated Lab Samples:

METHOD BLANK: 3116992

Matrix: Water

Parameter

30650284001

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radon

9.0 ± 19.5 (33.2) C:NA T:NA

pCi/L

12/29/23 16:16





#### **QUALIFIERS**

Proiect:

2231977

Pace Project No.:

30650284

#### **DEFINITIONS**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

**DUP - Sample Duplicate** 

**RPD - Relative Percent Difference** 

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Date: 01/12/2024 11:17 AM

Unc - Uncertainty: For Safe Drinking Water Act (SDWA) analyses, the reported Unc. Is the calculated Count Uncertainty (95% confidence interval) using a coverage factor of 1.96. For all other matrices (non-SDWA), the reported Unc. is the calculated Expanded Uncertainty (aka Combined Standard Uncertainty, CSU), reported at the 95% confidence interval using a coverage factor of 1.96.

Gamma Spec: The Unc. reported for all gamma-spectroscopy analyses (EPA 901.1), is the calculated Expanded Uncertainty (CSU) at the 95.4% confidence interval, using a coverage factor of 2.0.

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.





#### **CERTIFICATIONS**

Project:

2231977

Pace Project No.:

30650284

Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601

ANAB DOD-ELAP Rad Accreditation #: L2417 ANABISO/IEC 17025:2017 Rad Cert#: L24170

Alabama Certification #: 41590 Arizona Certification #: AZ0734 Arkansas Certification

California Certification #: 2950 Colorado Certification #: PA01547 Connecticut Certification #: PH-0694

EPA Region 4 DW Rad

Florida/TNI Certification #: E87683 Georgia Certification #: C040

Guam Certification Hawaii Certification Idaho Certification Illinois Certification Indiana Certification Iowa Certification #: 391

Kansas Certification #: E-10358 Kentucky Certification #: KY90133 KY WW Permit #: KY0098221 KY WW Permit #: KY0000221

Louisiana DHH/TNI Certification #: LA010 Louisiana DEQ/TNI Certification #: 04086

Maine Certification #: 2023021 Maryland Certification #: 308

Massachusetts Certification #: M-PA1457 Michigan/PADEP Certification #: 9991 Missouri Certification #: 235

Montana Certification #: Cert0082
Nebraska Certification #: NE-OS-29-14
Nevada Certification #: PA014572023-03
New Hampshire/TNI Certification #: 297622
New Jersey/TNI Certification #: PA051
New Mexico Certification #: PA01457

New York/TNI Certification #: 10888 North Carolina Certification #: 42706 North Dakota Certification #: R-190

Ohio EPA Rad Approval: #41249

Oregon/TNI Certification #: PA200002-015 Pennsylvania/TNI Certification #: 65-00282 Puerto Rico Certification #: PA01457 Rhode Island Certification #: 65-00282

South Dakota Certification

Tennessee Certification #: TN02867
Texas/TNI Certification #: T104704188-22-18
Utah/TNI Certification #: PA014572223-14
USDA Soil Permit #: 525-23-67-77263
Vermont Dept. of Health: ID# VT-0282
Virgin Island/PADEP Certification

Virginia/VELAP Certification #: 460198 Washington Certification #: C868 West Virginia DEP Certification #: 143 West Virginia DHHR Certification #: 9964C

Wisconsin Approve List for Rad

# WU#:30650284

Due Date: 01/22/24

CLIENT: NTL

1-800-458-3330

# Beverage - Source Water

Order Number:

2231977

12/11/2023 Order Date:

Sample Number:

Product:

FDABASE GRX

Method: Paid: No

P.O.:

TSR: SBW

Harrison	ME 04040
Date Sampled: 12 120 123  Time Sampled: 13 : 15  Check Time Zone: EST CS	Please Use Military Time, e.g. 3:00pm = 15:00
1f.,	ion.
Source Water Informati	on.
PWS ID# (if applicable):	
Source Name: SVMI	MIT SPRING
City & State:	ifferent than Above)
Sample Collected By:	(Signature)
Sample Collected By:	B PVWEV (Please Print)
Sample Temperature:	Field pH:
Measured at Source By:	
Form Completed By:	IBPULEN

For Laboratory Use ONLY	
Lab Accounting Information:	
Payment \$:	
Check #:	
Lab Comments/Special Instructions:	
Spring Source Annual	
Radon, Baols	
State Forms: ME	5n
Lab Sample InformatRIC, EIVED DEC 2	1. 2023
Date Received:	-
Time Received:	
Received By:	
Sample receipt criteria checked & acceptable Deviations from acceptable sample receipt cr on PSA form.	iteria noted
	1

Rev: SRT102120

**Additional Comments:** 

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

DC#\_Title: ENV-FRM-GBUR-0088 v06\_San Pittsburgh

PM: CMC CLIENT: NTL Due Date: 01/22/24

Pace,	Effective Date: 09/20/2023						
Client Name:	NTL				Project	t #:	
Courier:  Fed	Ex DUPS DUSPS DClient (	] Com	mercia	əl 🗆 P	ace 🛘 Other		Initial / Date
	r:					8	y: BA 12-29
Custody Seal on	Cooler/Box Present:	s DN	0	Seals	Intact:	☑No Labeled By:	BA 12-29-13
Thermometer U	sed: Typ	e of Ic	e: W	et B	lue Noné	The state of the s	
	ture: Observed Temp		•C	Corre	ction Factor:	•C Final Te	mp:oC
Temp should be abo	ve freezing to 6°C						
		T		T	pH paper Lot#	D.P.D. Resid	ual Chlorine Lot#
Comments:		Yes	No	NA	1000132		
Chain of Custody		/			1.		
Chain of Custody		/			2.		
	corrections present on COC		1				
Chain of Custody		~			3.		
	Signature on COC:		V		4.		
Sample Labels m					5.		
-Includes da							
Matrix:	PW						
	within Hold Time:	/			6.		
<b>Short Hold Time</b>	Analysis (<72hr	. /			7.		
remaining):		V					
	nd Time Requested:		/		8.		
Sufficient Volum		/			9.		
Correct Containe					10.		
-Pace Contai			~		44		
Containers Intact		/			11.		
Orthophosphate				/	12.		
	samples field filtered:			V	13.		
	checked for dechlorination			V,	14:		
	eceived for dissolved tests:			~	15:		
	ecked for preservation:				16.		
exceptions: \	/OA, coliform, TOC, O&G,				1101 25	ا دسلا اس	CAIA
	don, non-aqueous matrix				addred 2.5	-	
All containers me	eet method preservation		V		Initial when completed /S/L	Date/Time of	28-33 1015
requirement	s:				1 ald at added	_	019 1013
						30194569	
8260C/D: Headsp	ace in VOA Vials (> 6mm)			~	17.		
624.1: Headspac	e in VOA Vials (0mm)			V	18.		
Trip Blank Presen	t:			~		tody seal present?	
Rad Samples Scre	ened <.05 mrem/hr.	1			Initial when completed A	Date: 13-29-33	Survey Meter SN: 25-14380
Comments:							

Note: For NC compliance samples with discrepancies, a copy of this form must be sent to the DEHNR Certification office. PM Review is documented electronically in LIMS through the SRF Review schedule in the Workorder Edit Screen.



#### EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-5974 http://www.EMSL.com / cinnasblab@EMSL.com EMSL Order ID: Customer ID: Customer PO:

042329821 NTLI78 14630

Project ID:

Attn: Subcontract

National Testing Laboratories, Inc.

6571 Wilson Mills Road Cleveland, OH 44143

Phone: Fax:

(440) 449-2525 (Ema) il -only

Received: Analyzed: 12/29/2023 01/10/2024

Proj: 456107

#### Test Report: Determination of Asbestos Structures >10µm in Drinking Water Performed by the 100.2 Method (EPA 600/R-94/134)

**ASRESTOS** 

Sample ID Client / EMSL	Sample Filtration Date/Time	Original Sample Vol. Filtered	Effective Filter Area	Area Analyzed	Asbestos Types	Fibers Detected	Analytical Sensitivity	Concentration	Confidence Limits
<b>5.1.5.1.5.</b>		(ml)	(mm²)	(mm²)			MFL	(million fibers per	liter)
456107	1/4/2024	100	1338	0.0780	None Detected	ND	0.17	<0.17	0.00 - 0.63

01:25 PM

12/20/2023 13:15 PM Collection Date/Time:

Sample ozonated prior to analysis due to lab receipt time exceeding 48hr method hold time.

Bottle supplied by client.

042329821-0001

Analyst(s)

Sarah Richey

(1)

Samantta Remophons

Samantha Rundstrom, Laboratory Manager or Other Approved Signatory

Any questions please contact Samantha Rundstrom-Cruz.

Initial report from: 01/10/2024 15:32:04

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Estimation of uncertainty is available on request. Sample collection performed by the client. Pre-cleaned sample containers are available for purchase from EMSL. Note if sample containers are provided by the client, acceptable bottle blank level is defined as <0.01MFL for >=10um fibers. ND=None Detected. No Fibers Detected: the value will be reported as less than 369% of the concentration equivalent to one fiber. 1 to 4 fibers: The result will be reported as less than the corresponding upper 95% confidence limit (Poisson),5 to 30 fibers: Mean and 95% confidence intervals will be reported on the basis of the Poisson assumption. When more than 30 fibers are counted, both the Gaussian 95% confidence interval and the Poisson 95% confidence interval will be calculated. The large of these two intervals will be selected for data reporting. When the Gaussian 95% confidence interval is selected for data reporting, the Poisson will also be noted



Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NELAC NYS ELAP 10872, NJ DEP 03036, FL DOH E87975, PA ID# 68-00367

Test Report: TEM100.2-2.2.0.2 Printed: 1/10/2024 03:32PM

#### **Case Narrative**

Client: National Testing Laboratories, Ltd

Project: 456107/ 2231977

Job ID: 810-89199-1

**Eurofins Eaton Analytical South Bend** 

Job Narrative 810-89199-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 12/29/2023 8:15 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.2°C

**LCMS** 

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**General Chemistry** 

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.























#### **Client Sample Results**

Client: National Testing Laboratories, Ltd

Project/Site: 456107/ 2231977

Client Sample ID: 456107

Date Collected: 12/20/23 13:15 Date Received: 12/29/23 08:15

Cyanide, Total (EPA 335.4)

Job ID: 810-89199-1

Lab Sample ID: 810-89199-1

12/29/23 16:31

12/29/23 13:09

Matrix: Drinking Water

Method: EPA 331.0 - Perchlorate (LC/MS/Analyte Perchlorate		Qualifier	RL 0.050	MDL	<b>Unit</b> ug/L	<u>D</u>	Prepared	<b>Analyzed</b> 01/08/24 21:00	Dil Fac
General Chemistry	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

0.0050

<0.0050

mg/L











### **Definitions/Glossary**

Client: National Testing Laboratories, Ltd

Project/Site: 456107/ 2231977

Job ID: 810-89199-1

	П		
	П	e	٠.
	п	п	Κ.

















Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
n	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
DI	Penarting Limit or Requested Limit (Radiochemistry)

Reporting Limit or Requested Limit (Radiochemistry) RL

Relative Percent Difference, a measure of the relative difference between two points RPD

TEF Toxicity Equivalent Factor (Dioxin) Toxicity Equivalent Quotient (Dioxin) TEQ

TNTC Too Numerous To Count

#### **Lab Chronicle**

Client: National Testing Laboratories, Ltd

Project/Site: 456107/ 2231977 Client Sample ID: 456107

Date Collected: 12/20/23 13:15 Date Received: 12/29/23 08:15

Job ID: 810-89199-1

Lab Sample ID: 810-89199-1

Matrix: Drinking Water

minking	AASIGI	BANKS NO.
		ERA
		BF /
		Elifoni, M



Prepared	
or Analyzed	
01/08/24 21:00	









	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	331.0		1	84899	ST	EA SB	01/08/24 21:00
Total/NA	Prep	Distill/CN			84249	KH	EA SB	12/29/23 13:09
Total/NA	Analysis	335.4		1	84285	KH	EA SB	12/29/23 16:31

#### Laboratory References:

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

#### **Accreditation/Certification Summary**

Client: National Testing Laboratories, Ltd

Project/Site: 456107/ 2231977

Job ID: 810-89199-1

	1	

750
* 45

_	









Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority		am	Identification Number	Expiration Date
Ohio	State		87775	06-30-24
The following analytes a for which the agency do		ut the laboratory is not certified b	by the governing authority. This lis	t may include analytes
Analysis Method	Prep Method	Matrix	Analyte	
331.0		Drinking Water	Perchlorate	
335.4	Distill/CN	Drinking Water	Cyanide, Total	

#### **Method Summary**

Client: National Testing Laboratories, Ltd

Project/Site: 456107/ 2231977

Job ID: 810-89199-1









В		









Wethod	Method Description	Protocol	Laboratory
331.0	Perchlorate (LC/MS/MS)	EPA	EA SB
335.4	Cyanide, Total	EPA	EA SB
Distill/CN	Distillation, Cyanide	None	EA SB

#### Protocol References:

EPA = US Environmental Protection Agency

None = None

#### **Laboratory References:**

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777



1-800-458-3330

Rev: SRT102120

### Beverage - Source Water

Order Number: 2231977

Order Date: 12/11/2023 456107

Sample Number:

Product: FDABASE GRX
Paid: No Method: P.O.:

TSR: SBW

	For Laboratory Use ONLY
	Lab Accounting Information:
Harrison ME 04040	Payment \$:
Harrison ME 04040	Check #:
	Lab Comments/Special Instructions:
Date Sampled : 12 , 20 , 23	Spring Source Annual
Time Sampled: 13:15 Please Use Military Time, e.g. 3:00pm = 15:00	
Check Time Zone: EST CST MST PST	Cn, perchlorate
Source Water Information:	State Forms: ME
PWS ID# (if applicable):	Lab Sample Informatiq : (EIVED DEL 21 1023
Source Name: SVMMIT SPRING	Date Received://
City & State: (If Different than Above)	Time Received:  Received By:  Sample receipt criteria checked & acceptable.
Sample Collected By: (Signature)	Deviations from acceptable sample receipt criteria noted on PSA form.
Sample Collected By: NB PUNEN (Please Print)	
Sample Temperature: Field pH:	
Measured at Source By:	
Form Completed By: NBPULEN	
dditional Comments:	

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS